

23

HERRAMIENTA PARA MADERA  
TOOLS FOR WOOD  
OUTILLAGE POUR LE BOIS  
WERKZEUGE FÜR HOLZ  
UTENSILI PER LEGNO  
FERRAMENTAS PARA MADEIRA  
ИНСТРУМЕНТ ДЛЯ ДЕРЕВА

**MECTRA**  
S Y N E R G Y





MECTRA SYNERGY (M) SDN BHD  
B-G-31 MENARA PRIMA,  
JALAN PJU 1/39 DATARAN PRIMA,  
47301 PETALING JAYA,  
TEL : +603-78861732  
HP : +6010-2016466  
EMAIL : SALES@MECTRA.COM.MY



■ FORMONES / FIRMER CHISELS / CISEAUX À BOIS / STECHBEITEL / SCALPELLI / FORMOES / СТАМЕЦКИ

Hoja de acero especial, rectificada / Precision machined steel blade / En acier special trempé et poli / Geschliffene stechbeitel aus spezialstahl / Lama-inacciaio specialo rettificata / Lâmina de aço especial rectificada / Стальная режущая часть сверхточной обработки

■ TITACROM® BIMAT

COD.				
67169	6	130	12	•
67170	8	135		
67171	10	140		
67172	12	145		
67173	14	150		
67174	15	155		
67175	16	160		
67176	18	170		
67177	20	175		
67178	22	180		
67179	25	190		
67180	30	200		
67181	32	210		
67182	35	220		



TITACROM® BIMAT | DIN 5139


■ EXPOSITORES / DISPLAYS / PRESENTOIRS / DISPLAY / ESPOSITORE / EXPOSIÇÃO INDIVIDUAL / СТЕНДЫ

■ TITACROM® BIMAT

■ 60 PCS.

COD.	PCS.
55665	60

PCS./UN.	COD. PCS.	
6	67169	6
	67170	8
	67171	10
	67172	12
	67174	15
	67176	18
	67177	20
	67178	22
	67179	25
67180	30	




■ KITS

■ TITACROM® BIMAT

■ 4 PCS.

COD.	PCS.
69481	4

PCS./UN.	COD. PCS.	
1	67171	10
	67172	12
	67174	15
	67176	18



• Presentador individual / Individual display / Conditionnement unitaire

■ CEPILLOS / JACK PLANES / RABOTS / SCHLICHTHOBEL / PIALLA / PLAINAS / РУБАНКИ

COD.	L (mm)			
67051	250	1,5	1	64239
67052	350	2,0		




■ SARGENTOS / CLAMPS / SERRE-JOINTS / ZWINGEN / MORSETTI SERRAGIUNTI / GRAMPOS / СТРУБЦИНЫ

■ MOD. G

COD.	A max (mm)	B (mm)			Kgf*
69570	50	30	195	6	120
69571	75	52	700		150
69572	100	60	900	4	255
69574	150	65	1600	3	355
69575	200	83	1900		400

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf: fuerza de amarre / Kgf: fastening force / Kgf: force de serrage




■ MOD. F

COD.	A max (mm)	B (mm)			Kgf
69580	150		450		225
69581		50	600	6	
69582	200		1000		360
69583	250	80	1150		
69585	300		1600		
69586	400		1800		
69588	600	120	2200	2	600
69589	800		2700		
69590	1000		3000		

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf: fuerza de amarre / Kgf: fastening force / Kgf: force de serrage



■ FORJADO / FORGED / FORGÉ / GESCHMIEDET / FORGIATO / FORJADO / ЗАКАЛЕННАЯ

COD.	A max (mm)	B (mm)	C (mm)	D (mm)			Kgf
69961	250	80	6	15,5	650	6	255
69965					900		
69967	400	100	9,5	19	1200		300
69968	500				1600		
69970	250				1100	2	
69972	400				1400		
69975	800	120	10	21,5	1900		400
69977	1200				2900		

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf: fuerza de amarre / Kgf: fastening force / Kgf: force de serrage

